

**V64  
V65**

**Platform  
stairlifts**

**VIMEC**  
*Easy moving*

# V64

Platform stairlifts  
the straight inclined platform lift

**VIMEC**  
*Easy moving*

Accessibility to all public and private premises, in complete safety its the ideal solution for a strait staircase.

The V64 wheelchair platform, travels on a straight rail (ideal for one flight of stairs), is exceptionally safe and convenient.

### Versatile

Installation of the V64 does not require any building work and does not interfere with the interior design style.

### Strong and reliable

The V64 is suitable for both indoor and outdoor installation, thanks to design features that ensure a long working life and unbeatable performance even in sevier weather conditions.



### Flexible

The V64 is available in three models:

**standard** - with compact platform for installation on small-sized staircases and landings;

**large** - with larger platform for wheelchairs with specific space requirements;

**extralarge** - with oversized platform to meet all transportation needs.

### Technology with convenience

The V64 has a radio control, state-of-the-art active and passive personal protection devices, and retractable safety arms to reduce head room space when the unit is not in use.

The V64 stairlift ensures full independence and safety to the user, thanks to its simplicity and technology

### Optionals

- Protective cover
- Automated platform folding device
- Special size platform
- Sound signal for movement
- Blinking light signal
- Foldable seat
- Remote control post
- Retracting arms
- Radio controls
- Fire-resistant plastic sections
- Additional safety chain



### Standard outfit

- Controls protected against unintentional use, constant pressure operated
- Removable key
- Emergency stop
- Manual emergency manoeuvre
- Progressively operated mechanical safety gear
- Speed limiter
- Automatic safety edges
- Supporting handle
- Electric safety limit switches
- Shock-absorbing, anti-shearing, anti-crushing devices
- Acoustic and optical (light) overload alarm
- Preset for EN 81/40



## V64 - INDOOR AND OUTDOOR MODEL

	STANDARD	LARGE	EXTRA LARGE
Minimum stair width	mm 970	1040	1070
Tolerated gradient	degrees from 0 to 50°	from 0 to 50°	from 0 to 50°
Minimum size of rail	mm 100	100	100
Minimum size with folded platform	mm 370	370	370
Platform dimensions	830x700	1050x770	1250x800
Capacity up to 45°	300 kg	300 kg	250 Kg
Capacity beyond 45°	200 Kg	200 Kg	200 Kg
Speed	5 m / min.	5 m / min.	5 m / min.
Power supply	230 volt	230 volt	230 volt
Power consumption	0,75 Kw	0,75 Kw	0,75 Kw

### Available with capacities up to 300 kg

The data are indicative and not binding. Vimec reserves the right to make any modifications considered necessary.

- In conformity with:
- the European Directive 2006/95/CEE - Low Voltage
  - the European Directive 2004/108/CEE - EMC
  - the European Directive 42/2006/CEE - Machinery Directive (manufacturer's certification)



The V64 and V65 stairlifts represent the evolution of thirty years of Vimec's experience in the accessibility; the thousands of installation in Italy and worldwide testify the spread of solutions always appreciated for reliability and versatility





The V65 is able to tackle constant or variable gradients, adapting to the incline variation of a landing or flight of stairs.



Platform stairlifts  
the curved inclined platform lift

**VIMEC**  
*Easy moving*

### Flexible

The V65 is available in three models:

**standard** - with compact platform for installation on small-sized staircases and landings;

**large** - with larger platform for wheelchairs with specific space requirements;

**extralarge** - with oversized platform to meet all transportation needs.

### Versatile

Installation of the V65 does not require any building work, and does not interfere with the interior design style.

### Quiet and energy-saving

Thanks to the latest-generation power supply unit that guarantees outstanding energy saving, the V65 recharges its batteries during descent, maintaining unrivalled standards of smooth and quiet operation.

### Strong and reliable

The V65 is suitable for both indoor and outdoor installation, thanks to design features that ensure a long working life and unbeatable performance even in sevier weather conditions.

### Technology and safety with convenience

The V65 has radio control, state-of-the-art active and passive personal protection devices, and retractable safety arms to reduce head room space when the unit is not in use.



Vimec installations take place in prestigious international museums, subways, banks, restaurants overcoming slopes and barriers of all kinds



The V65 stairlift ensures comfort and safety over any kind of path

### Standard outfit

Controls protected against unintentional use, constant pressure operated  
 Removable key  
 Emergency stop  
 Manual emergency manoeuvre  
 Progressively operated mechanical safety gear  
 Speed limiter

Automatic protector panels  
 Supporting handle  
 Electric safety limit switches  
 Shock-absorbing, anti-shearing, anti-crushing devices  
 Blackout emergency battery back up  
 Acoustic and optical (light) overload indicator

#### 1) V65 with independent bars



1

#### 2) V65 with retracting bars



2

### Optionals

Protective cover  
 Automated platform folding device  
 Special size platform  
 Sound signal for movement  
 Blinking light signal  
 Intermediate stops  
 Foldable seat  
 Retracting bars that fit into the actual body of the machine (excluding 1250x800 platform)  
 Remote control post  
 Radio controls

## V65 - INDOOR AND OUTDOOR MODEL

	STANDARD	LARGE	EXTRA LARGE
Minimum stair width	mm 1130	1250	1320
Tolerated gradient	degrees from 0 to 50°	from 0 to 50°	from 0 to 50°
Minimum size of rail	mm 160	160	160
Minimum size with folded platform	mm 430	430	430
Platform dimensions	830x700	1050x770	1250x800
Capacity up to 45°	300 kg	300 kg	250 Kg
Capacity beyond 45°	200 Kg	200 Kg	200 Kg
Speed	8 m / min.	8 m / min.	8 m / min.
Power supply	230 volt	230 volt	230 volt
Power consumption	1 Kw	1 Kw	1 Kw

### Available with capacities up to 300 kg

(\* ) the data refer to the version without seat and without frontal access.

The data are indicative and not binding. Vimec reserves the right to make any modifications considered necessary.


In conformity with:

- the European Directive 2006/95/CEE - Low Voltage
- the European Directive 2004/108/CEE - EMC
- the European Directive 42/2006/CEE - Machinery Directive (manufacturer's certification)



Vimec s.r.l. - Via Parri, 7 - 42045 Luzzara - Reggio Emilia - Italy  
Tel. + 39 0522 970 666 Fax +39 0522 970918  
[www.vimec.biz](http://www.vimec.biz) [info@vimec.biz](mailto:info@vimec.biz)

Vimec abroad: Madrid (Spain), London (United Kingdom),  
Avignon (France), Warsaw (Poland)



COMPANY  
WITH QUALITY SYSTEM  
CERTIFIED BY DNV  
**UNI EN ISO 9001/2000**



### Guaranteed product

The Vimec product is guaranteed for 24 months from the date of delivery to the customer; the guarantee can be extended by contacting the local service centres.

### PSP: serving the partners

Partner Support Program: a Vimec exclusive for its partners, aiming to supply each of them, all over the world, with a series of personalised tools for developing their business and offering the end user better service. This programme includes an introduction to the concepts of “accessibility”, specific classroom training courses and training in the field for sales staff and engineers, analysis and assistance for the development of the most appropriate market strategies, and backup for the organisation of seminars (e.g. for architects, civil engineering firms, etc.) and for participation at trade fairs. Close co-operation with its partners guarantees Vimec constant improvement of its knowledge of the various markets and their varying needs in terms of accessibility, which translates into the design of suitable products. All is oriented towards better management of customer relations, and the achievement of full customer satisfaction.

### VIMEC Range



A wide range of products dedicated to people: home lifts and elevators, chairlifts and stairlifts, platform lifts and mobile stair climbers.